Love the everyday details in life





ReSound OMNIA

Now Full Family of Organic Hearing



ReSound Premium RIE Hearing Aids

iSolate nanotech - All Weather Proof Hearing Aids

(Made for iPhone + Made for Android with ASHA + ReSound Assist Live)

Product Image

Model Name

No. of

Receiver Options

Fitting Range Warranty

MRP Rs

OMNIA MiniRIE Rechargeable Kit (M&RIE / Standard Receiver)





| OMNIA 960 MiniRIE (2 Hearing Aids + 1 Premium Charger) 🤶 17 | MM/LP/MP/HP/UP | 20-110 | 2+2 | 7,99,995 |
|---|----------------|--------|-----|----------|
| OMNIA 960 MiniRIE (1 Hearing Aid + 1 Standard Charger) 🤶 17 | MM/LP/MP/HP/UP | 20-110 | 2+2 | 4,09,995 |
| OMNIA 760 MiniRIE (2 Hearing Aids + 1 Premium Charger) 🤶 14 | MM/LP/MP/HP/UP | 20-110 | 2+2 | 4,39,995 |
| OMNIA 760 MiniRIE (1 Hearing Aid + 1 Standard Charger) 🤶 14 | MM/LP/MP/HP/UP | 20-110 | 2+2 | 2,29,995 |
| OMNIA 560 MiniRIE (2 Hearing Aids + 1 Premium Charger) 🤶 12 | MM/LP/MP/HP/UP | 20-110 | 2+1 | 2,49,995 |
| OMNIA 560 MiniRIE (1 Hearing Aid + 1 Standard Charger) 🤶 12 | MM/LP/MP/HP/UP | 20-110 | 2+1 | 1,34,995 |
| OMNIA 460 MiniRIE (2 Hearing Aids + 1 Premium Charger) | MM/LP/MP/HP/UP | 20-110 | 2 | 1,69,995 |
| OMNIA 460 MiniRIE (1 Hearing Aid + 1 Standard Charger) | MM/LP/MP/HP/UP | 20-110 | 2 | 94,995 |

OMNIA Non-Rechargeable RIE (M&RIE / Standard Receiver)



| 014114 054 015 | | | MM/LP/MP/HP/UP | 20-110 | 2+2 | 2 70 005 |
|----------------|-----|----|----------------------|--------|-----|----------|
| OMNIA 961 RIE | | 17 | ויוויו/בר/ויור/הר/טר | 20-110 | 2+2 | 3,79,995 |
| OMNIA 761 RIE | | 14 | MM/LP/MP/HP/UP | 20-110 | 2+2 | 1,89,995 |
| OMNIA 561 RIE | (C) | 12 | MM/LP/MP/HP/UP | 20-110 | 2+1 | 1,14,995 |
| OMNIA 461 RIE | | 12 | MM/LP/MP/HP/UP | 20-110 | 2 | 79,995 |

ONE 4 Rechargeable RIE Kit (Standard Receiver)



| ONE 461 RIE (2 Hearing Aids + 1 Premium charger) | (((c) | 12 | LP/MP/HP/UP | 20-110 | 2 | 1,19,995 |
|--|-------|----|-------------|--------|---|----------|
| ONE 461 RIE (1 Hearing Aid + 1 Standard charger) | ((() | 12 | LP/MP/HP/UP | 20-110 | 2 | 69,995 |

Warranty on chargers for rechargeable hearing aids is 1 year
Prices of Non - Rechargeable Hearing Aids are on per unit basis

:- 2.4 GHz direct wireless connectivity products Li-Ion stands for Lithium-Ion

Gain values as per IEC60118-0 Ear Simulator



ReSound Premium Custom Hearing Aids

iSolate nanotech - All Weather Proof Hearing Aids

(Made for iPhone + Made for Android with ASHA + ReSound Assist Live)

Product Pictures

Model Name



Receiver Options Fitting Range



MRP Rs

OMNIA Rechargeable ITC Earbud Kit



| OMNIA 9 ITC (2 Hearing Aids + 1 Custom Charger) | (((() | 17 | LP/MP/HP/UP | 20-110 | 2+2 | 7,99,995 |
|---|-------|----|-------------|--------|-----|----------|
| OMNIA 9 ITC (1 Hearing Aid + 1 Custom Charger) | | 17 | LP/MP/HP/UP | 20-110 | 2+2 | 4,09,995 |
| OMNIA 7 ITC (2 Hearing Aids + 1 Custom Charger) | ((() | 14 | LP/MP/HP/UP | 20-110 | 2+2 | 4,39,995 |
| OMNIA 7 ITC (1 Hearing Aid + 1 Custom Charger) | | 14 | LP/MP/HP/UP | 20-110 | 2+2 | 2,29,995 |
| OMNIA 5 ITC (2 Hearing Aids + 1 Custom Charger) | ((() | 12 | LP/MP/HP/UP | 20-110 | 2+1 | 2,69,995 |
| OMNIA 5 ITC (1 Hearing Aid + 1 Custom Charger) | | 12 | LP/MP/HP/UP | 20-110 | 2+1 | 1,44,995 |
| OMNIA 4 ITC (2 Hearing Aids + 1 Custom Charger) | (C) | 12 | LP/MP/HP/UP | 20-110 | 2 | 1,79,995 |
| OMNIA 4 ITC (1 Hearing Aid + 1 Custom Charger) | ((i) | 12 | LP/MP/HP/UP | 20-110 | 2 | 99,995 |

OMNIA Non Wireless CIC



| OMNIA 9 CIC | 17 | LP/MP/HP | 20-110 | 2+2 | 3,89,995 |
|-------------|----|----------|--------|-----|----------|
| OMNIA 7 CIC | 14 | LP/MP/HP | 20-110 | 2+2 | 2,09,995 |
| OMNIA 5 CIC | 12 | LP/MP/HP | 20-110 | 2+1 | 1,19,995 |
| OMNIA 4 CIC | 12 | LP/MP/HP | 20-110 | 2 | 74,995 |

| ONE 4 Nor | Wire | less CIC | | | |
|-----------|------|----------|--------|---|--------|
| ONE 4 CIC | 12 | LP/MP/HP | 20-110 | 2 | 56,995 |

OMNIA Non Wireless IIC (CIC with black face plate)



| OMNIA 9 IIC | 17 | LP/MP | 20-100 | 2+2 | 389,995 |
|-------------|----|-------|--------|-----|---------|
| OMNIA 7 IIC | 14 | LP/MP | 20-100 | 2+2 | 209,995 |
| OMNIA 5 IIC | 12 | LP/MP | 20-100 | 2+1 | 119,995 |
| OMNIA 4 IIC | 12 | LP/MP | 20-100 | 2 | 74,995 |

| ONE Non Wireless IIC | C (CIC | with black fa | ce plate) | | |
|----------------------|--------|---------------|-----------|---|--------|
| ONE 4 IIC | 12 | LP/MP | 20-100 | 2 | 56,995 |

Warranty on chargers for rechargeable hearing aids is 1 year
Prices of Non - Rechargeable Hearing Aids are on per unit basis

: 2.4 GHz direct wireless connectivity products Li-lon stands for Lithium-Ion

Gain values as per IEC60118-0 Ear Simulator

ITC Rechargeable: Full on Gain at 50dB input: LP - 50, MP - 60, HP - 70, UP - 78

Gain values as per IEC60118-0 2cc Coupler

CIC Non-Rechargeable: Full on Gain at 50dB input: LP - 40, MP - 50, HP - 60

ReSound Premium Rechargeable BTE Hearing Aids

iSolate nanotech - All Weather Proof Hearing Aids

(Made for iPhone + Made for Android with ASHA + ReSound Assist Live)

Receiver Fitting MRP **Product Pictures** Model Name Options Range Rs OMNIA Rechargeable 88 BTE Kit OMNIA 988 BTE (2 Hearing Aids + 1 Desktop Charger) HP BTE 30-110 17 2+2 7,99,995 HP BTE 4,07,995 OMNIA 988 BTE (1 Hearing Aid + 1 Desktop Charger) 17 30-110 2+2 OMNIA 788 BTE (2 Hearing Aids + 1 Desktop Charger) 14 HP BTE 30-110 4,39,995 OMNIA 788 BTE (1 Hearing Aid + 1 Desktop Charger) 14 HP RTF 30-110 2+2 2,27,995 OMNIA 588 BTE (2 Hearing Aids + 1 Desktop Charger) 12 HP BTE 30-110 2,49,995 2+1 OMNIA 588 BTE (1 Hearing Aid + 1 Desktop Charger) 12 HP BTE 30-110 2+1 1,32,995 OMNIA 488 BTE (2 Hearing Aids + 1 Desktop Charger) 12 **HP BTE** 30-110 1,41,995 OMNIA 488 BTE (1 Hearing Aid + 1 Desktop Charger) HP BTE 12 30-110 78,995 ONE 4 Rechargeable 88 BTE Kit څ ONE 488 BTE (2 Hearing Aids + 1 Desktop Charger) HP BTE 30-110 12 1,13,995 ONE 488 BTE (1 Hearing Aid + 1 Desktop Charger) 12 HP BTE 30-110 2 59.995 OMNIA Rechargeable 77 BTE Kit (Classic Hook/Thin Tube) OMNIA 977 BTE (2 Hearing Aids + 1 Desktop charger) 17 NP BTE 20-100 2+2 7,99,995 OMNIA 977 BTE (1 Hearing Aid + 1 Desktop charger) 17 NP BTE 20-100 2+2 4,07,995 OMNIA 777 BTE (2 Hearing Aids + 1 Desktop charger) NP RTF 20-100 4.39.995 14 2+2 OMNIA 777 BTE (1 Hearing Aid + 1 Desktop charger) NP BTE 20-100 2+2 2,27,995 14 OMNIA 577 BTE (2 Hearing Aids + 1 Desktop charger) NP BTE 20-100 2,49,995 OMNIA 577 BTE (1 Hearing Aid + 1 Desktop charger) 12 NP BTE 20-100 2+1 1,32,995 OMNIA 477 BTE (2 Hearing Aids + 1 Desktop charger) NP BTE 12 20-100 1,41,995



NP BTE

12

| ONE 477 BTE (2 Hearing Aids + 1 Desktop Charger) | <u></u> | 12 | NP BTE | 20-100 | 2 | 1,13,995 |
|--|---------|----|--------|--------|---|----------|
| ONE 477 BTE (1 Hearing Aid + 1 Desktop Charger) | (C) | 12 | NP BTE | 20-100 | 2 | 59,995 |

Gainvalue as perIEC-60118O-IEC-711-Ear Simulator Full on Gain at 50dB input: NP BTE- 67, HP BTE- 80

Warranty on chargers for rechargeable hearing aids is 1 year

Prices of Non - Rechargeable Hearing Aids are on per unit basis

:- 2.4 GHz direct wireless connectivity products

20-100

78,995



OMNIA 477 BTE (1 Hearing Aid + 1 Desktop charger)

Know the Difference

| | Speech Understanding | Noise Reduction | Automatic adjustments as per environment | Induction/Wireless charging | Apple & Android audio Streaming | Remote care/ Remote audiology care |
|---------|-------------------------|--------------------|--|--------------------------------|---------------------------------|--|
| OMNIA 9 | **** | **** | **** | | | |
| OMNIA 7 | **** | **** | *** | | | |
| OMNIA 5 | *** | *** | *** | **** | **** | **** |
| OMNIA 4 | ** | ** | ** | | | |
| ONE 4 | * | * | * | | | |
| | Feature | | Benefit | OMNIA 9 | OMNIA 7 OMNIA 5 | OMNIA 4 ONE 4 |

17

14

12

12

12

| | WARP compression channels | Replicates the way the natural ear process sound "Near-zero distortion & remarkable purity of sound" |
|-------------------------|---------------------------------|---|
| | All-Around 360 | Hearing clarity from all directions, provides brain with natural acoustic information "Industry best Environment mapping" |
| | Front Focus | Hear best in noise "Upto 150% better speech understanding in noise" |
| | All Access Directionality | Automatically tune into what you like to hear with "Artficial Intelligence" |
| Ul | Ultra Focus | Easy focus on speech coming from front (almost 4.3 dB more focus) "Adaptive Beamforming" |
| Speech Understanding | Binaural Directionality III | Hear both envrionment sounds & speech, without compramsing each other "Automatic Balanced Hearing" |
| | Spatial Sense | Locate the sounds precisely front vs back & Up vs Down with "Inter ear Compression" & "Pinna Restoration" |
| | Binaural Directionality | Reduced hearing effort with "Industry's fastest Device to Device communication" |
| | M&RIE | Uses unique ear shape to deliver natural sound, easliy locate sounds & wind noise reduction. "Industry's first & Only 3 Mic technology" |
| | Natural Own Voice Perception | Own Voice is processed differently from others voice, reducing over amplification of own voice "Band Split processor" |
| | Synchronised Soft Switching | Automatic focus on speech in noisy situations "Synchronous auto-adaptation" of hearing aids in both ears |
| | Sound Shaper | Hear inaudible sounds back again even if you have high hearing loss/ dead regions "Linear Frequency Compression" |

| Noise |
|-----------|
| Reduction |
| |

| Comfort |
|-------------|
| & |
| Convenience |

Ear to Ear

Communication

| Sound Shaper | Hear inaudible sounds back again even if you have high hearing loss/ dead regions "Linear Frequency Compression" | ✓ | ✓ | ✓ | ✓ | ✓ |
|------------------------------------|--|-------------------------|------------------------|------------------------|------------------------|------------------------|
| Noise Tracker II | Reduce unwanted sounds without degrading speech "Spectral substraction Algorithms" | 10dB Noise Reduction | 8dB Noise Reduction | 6dB Noise Reduction | 3dB Noise Reduction | 3dB Noise Reduction |
| Wind Guard | Reduces disturbing wind noise sounds without reducing speech "Twin-mic correlation cofficient Algorithms" | Strong | Moderate | Mild | Mild | Mild |
| Personalized Noise Cancellation | Reduce noise of only specific sounds of an environment that you don't like "Per environment Noise reduction" | ✓ | | | | |
| Environmental Optimiser | Confidently change environments, your hearing aids will adapt automatically "Indsutry's best 98% accurate environmental classifier" | ✓ | ✓ | ✓ | | |
| DFS Ultra | Rich sound without annoying whistling sounds "Feedback path modeling" blocks whistling sounds | Strong | Strong | Strong | Strong | Strong |
| Synchronized Acceptance Manager | Intelligent technology to get you accoustmed to new hearing aids "Data-Logging technology" ensures, your hearing aids track your progress | ✓ | ✓ | ✓ | ✓ | ✓ |
| Tinnitus Sound Generator | Hearing & Ringing sound in the ear have common origin & can be treated with TSG built using "Sound & Cognitive behaviour therapy" principles | ✓ | ✓ | ✓ | ✓ | ✓ |

Control both of your hearing aids with a single touch

"Industry unique 2.4Ghz Ear-to-Ear technology"

Range of World's Best Super Power Hearing Aid's just got Bigger

ReSound ENZO Q (World's Best Super Power Hearing Aid)

iSolate nanotech - All Weather Proof Hearing Aids with 2 Years Warranty

(Made for iPhone + Made for Android with ASHA + ReSound Assist Live)

| Product Pictures | |
|------------------|--|
| Zinc Air 675 | |

| Model Name | No. of Channels | Full on Gain 50dB | Fitting Range | Warranty | MRP Rs |
|-------------------|--------------------|----------------------|------------------|----------|-----------|
| ENZO Q 998 SP BTE | 17 | 86 | 60-120 | 2 | 3,49,995 |
| ENZO Q 798 SP BTE | 14 | 86 | 60-120 | 2 | 1,49,995 |
| ENZO Q 598 SP BTE | 12 | 86 | 60-120 | 2 | 69,995 |

Buy 2 ReSound ENZO Quattro Hearing Aids of MRP 1,49,995/- each or higher & get Any 1 Wireless Accessory worth MRP 17,700/- FREE

ReSound OMNIA (World's Most Powerful Rechargeable PBTE)

Fitting Full on Warranty **MRP** Product Pictures Model Name Gain 50dB Range Rs OMNIA Rechargeable 88 BTE Kit OMNIA 988 BTE (2 Hearing Aids + 1 Desktop Charger) 17 30-110 2+2 7,99,995 OMNIA 988 BTE (1 Hearing Aid + 1 Desktop Charger) 17 80 30-110 2+2 4,07,995 OMNIA 788 BTE (2 Hearing Aids + 1 Desktop Charger) 14 80 30-110 2+2 4,39,995 OMNIA 788 BTE (1 Hearing Aid + 1 Desktop Charger) 14 80 30-110 2+2 2,27,995 OMNIA 588 BTE (2 Hearing Aids + 1 Desktop Charger) 30-110 2,49,995 OMNIA 588 BTE (1 Hearing Aid + 1 Desktop Charger) 12 80 30-110 2+1 1,32,995 OMNIA 488 BTE (2 Hearing Aids + 1 Desktop Charger) 12 80 30-110 1,41,995 OMNIA 488 BTE (1 Hearing Aid + 1 Desktop Charger) 12 30-110 78,995 80 ONE 4 Rechargeable 88 BTE Kit ONE 488 BTE (2 Hearing Aids + 1 Desktop Charger) څ 12 80 30-110 2 1,13,995 ONE 488 BTE (1 Hearing Aid + 1 Desktop Charger) 80 59,995 12 30-110 2

ReSound Key (World's Only 2.4GHz Wireless SP BTE)



| Model Name | | No. of Channels | Full on Gain 50dB | Fitting Range | Warranty | MRP Rs |
|----------------|-------|--------------------|----------------------|------------------|----------|-----------|
| Key 498 SP BTE | ((((, | 12 | 86 | 60-120 | 2 | 48,995 |
| Key 398 SP BTE | ((() | 8 | 86 | 60-120 | 2 | 37,995 |
| Key 298 SP BTE | | 6 | 86 | 60-120 | 2 | 27,995 |

ReSound Magna



| Model Name | No. of Channels | Full on Gain 50dB | Fitting Range | Warranty | MRP Rs |
|------------------|--------------------|----------------------|------------------|----------|-----------|
| Magna 490 SP BTE | 9 | 86 | 60-120 | 2 | 22,495 |

Warranty on chargers for rechargeable hearing aids is 1 year Prices of Non - Rechargeable Hearing Aids are on per unit basis

:- 2.4 GHz direct wireless connectivity products

Li-lon stands for Lithium-Ion Gain value as per IEC-60118-O-IEC-711- Ear Simulator



Know the Difference

| | | | | | CHOW CH | e Dili | erence |
|-----------------------------|--------------------------------------|-----------------------|---|--|--------------------------|--------------------|--|
| | Speech Understanding | Noise Reduction | Automatic adjustments as per environment | Induction/Wireless charging | Apple & And audio Stream | roid | Remote care/ mote audiology care |
| ENZO 9 | **** | **** | **** | | | | |
| ENZO 7 | *** | *** | **** | **** | **** | k | **** |
| ENZO 5 | *** | *** | *** | | | | |
| | Feature | | Benefit | ENZ | O 9 EN | ZO 7 | ENZO 5 |
| | WARP compression channels | | the natural ear process sound | nd" 1. | 7 | 14 | 12 |
| | Binaural Directionality III | | ment sounds & speech, without nother "Automatic Balanced He | _ | | | |
| | Spatial Sense | | presicley front vs back & Up vs | storation" | | | |
| Speech Understanding | Autoscope Adaptive Directionality | focus on speech ir | Directionality autoamtically hel n noisy situation n or group of people as needed | | | | |
| | Binaural Directionality | Reduced hearing e | ffort with Device to Device communication | on" | / , | ✓ | |
| | Synchronised Soft Switching | | n speech in noisy situations -adpatation" of hearing aids in l | both ears | · | ✓ | \checkmark |
| | Sound Shaper | | inds back again even if you have regions "Linear Frequency Coi | The state of the s | | √ | \checkmark |
| | Noise Tracker II | Reduce unwanted | sounds with out degrading spection Algorithms" | ech 10dB I | | B Noise duction | 6dB Noise Reduction |
| | Wind Guard | 1 | g wind noise sounds without red | lucing speech | ong Mo | oderate | Mild |
| Noise Reduction | Personalized Noise Cancellation | | nly specific sounds of an environ | · · · · · · · · · · · · · · · · · · · | | | |
| | Environmental Optimiser | will adapt automa | e environments, your hearing ai tically % accurate environmental class | | / | ✓ | |
| | DFS Ultra | | t annoyoing whistling sounds | Stro | ong S | trong | Strong |
| | Synchronized Acceptance Manager | | gy to get you accoustmed to new Logging technology" ensures, ack your progress | | / , | ✓ | |
| Comfort & Convenience | Tinnitus Sound Generator | origin & can be treat | ound in the ear have common ed with TSG built using behaviour therapy" principles | | | ✓ | \checkmark |
| | Ear to Ear | Control both of yo | ur hearing aids with a single too | ıch | | | ✓ |

"Industry unique 2.4Ghz Ear-to-Ear technology"

Communication

ReSound Key

iSolate nanotech - All Weather Proof Hearing Aids with 2 Years Warranty

(Made for iPhone + Made for Android with ASHA + ReSound Assist Live)

Product Pictures

Model Name

No. of Channels Receiver Options

Fitting Range MRP Rs



ReSound Key Rechargeable RIE (Made for iPhone + Made for Android with ASHA + ReSound Assist Live)



| Key 461 RIE Kit (2 Hearing Aids + 1 Desktop Charg | er) 🎅 | 12 | LP/MP/HP/UP | 20-110 | 99,995 | NEW |
|---|---------|----|-------------|--------|--------|-----|
| Key 461 RIE | <u></u> | 12 | LP/MP/HP/UP | 20-110 | 49,995 | NEW |
| Key 361 RIE Kit (2 Hearing Aid + 1 Desktop Charg | ger) 🔶 | 8 | LP/MP/HP/UP | 20-110 | 83,995 | NEW |
| Key 361 RIE | <u></u> | 8 | LP/MP/HP/UP | 20-110 | 41,995 | NEW |



| ReSound Key Non-Rechargeable RIE Made for iPhone + Made for Android with ASHA + ReSound Assist Live (MFI & ASHA streaming only in Key 3 & 4) | | | | | | | | |
|---|---------|---|-------------|--------|--------|--|--|--|
| Key 361 RIE | ((((, | 8 | LP/MP/HP/UP | 20-110 | 36,995 | | | |
| Key 362 RIE | ((() | 8 | LP/MP/HP/UP | 20-110 | 36,995 | | | |
| Key 261 RIE | ((() | 6 | LP/MP/HP/UP | 20-110 | 27,495 | | | |
| Key 262 RIE | <u></u> | 6 | LP/MP/HP/UP | 20-110 | 27,495 | | | |



| Made for iPhone + Made for Andro | oid with ASHA + R | ReSound Assist | : Live (MFI & ASH) | A streaming only i | in Key 3 & 4) |
|----------------------------------|-------------------|----------------|--------------------|--------------------|---------------|
| Key 498 SP BTE | | 12 | SP BTE | 60-120 | 48,995 |
| Key 398 SP BTE | | 8 | SP BTE | 60-120 | 37,995 |
| Key 298 SP BTE | <u></u> | 6 | SP BTE | 60-120 | 27,995 |

ReSound Key Super Power BTE



| Made for iPhone + Made for Android with ASHA + ReSound Assist Live (MFI & ASHA streaming only in Key 3 & 4) | | | | | | | |
|---|-------|----|--------|--------|--------|--|--|
| Key 488 HP BTE | | 12 | HP BTE | 30-110 | 48,995 | | |
| Key 477 NP BTE | (f) | 12 | NP BTE | 20-100 | 47,995 | | |
| Key 388HP BTE | | 8 | HP BTE | 30-110 | 37,995 | | |
| Key 377 NP BTE | | 8 | NP BTE | 20-100 | 36,995 | | |
| Key 288 HP BTE | | 6 | HP BTE | 30-110 | 28,495 | | |
| Key 277 NP BTE | ((() | 6 | NP BTE | 20-100 | 27,995 | | |
| Key 188 HP BTE | | 4 | HP BTE | 30-110 | 20,995 | | |
| Key 177 NP BTE | (((tr | 4 | NP BTE | 20-100 | 20,495 | | |



| 1 1440 151 11 115110 11 11400 151 7 1110 | 105041147155150 | . 2.1.6 (1.11.47.51.7 | · sereariling only | |
|--|---------------------|-----------------------|--------------------|--------|
| Key 4 ITC | 12 | MP/HP/UP | 20-110 | 49,995 |
| Key 3 ITC | 8 | MP/HP/UP | 20-110 | 38,995 |
| Key 2 ITC | 6 | MP/HP/UP | 20-110 | 28,995 |

ReSound Key Wireless ITC



| 1 | 1ade for iPhone + Made for A | ndroid with AS | HA + ReSound As | ssist Live | |
|-----------|------------------------------|----------------|-----------------|------------|--------|
| Key 4 CIC | | 12 | LP/MP/HP | 20-105 | 40,995 |
| Key 3 CIC | (((i) | 8 | LP/MP/HP | 20-105 | 29,995 |

ReSound Key Wireless CIC

Gain values as per IEC60118-0 Ear Simulator RIE - Full on Gain at 50dB input: LP - 62, MP - 67, HP - 74, UP - 82 ITC/CIC - Full on Gain at 50dB input: LP - 49, MP - 59, HP - 69, UP - 76 BTE - Full on Gain at 50dB input: NP BTE - 66, HP BTE - 80



Desktop Charger

Warranty on chargers for rechargeable hearing aids is 1 year

Know the Difference

| | Speech Understanding | Noise Reduction | Automatic adjustments as per environment | Induction/Wireless charging | Apple & Android audio Streaming | Remote care/ Remote audiology care |
|-------|-------------------------|--------------------|--|--------------------------------|---------------------------------|--|
| KEY 4 | **** | **** | **** | **** | **** | |
| KEY 3 | *** | **** | **** | **** | **** | **** |
| KEY 2 | *** | *** | | | | ^^^^ |
| KEY 1 | ** | ** | | | | |
| | | | | | | |

| KETT | | | | | | |
|-------------------------|---|--|--------------|-------|----------|----------|
| | Feature | Benefit | KEY 4 | KEY 3 | KEY 2 | KEY 1 |
| | WARP compression channels | Replicates the way the natural ear process sound "Near-zero distortion & remarkable purity of sound" | 12 | 8 | 6 | 4 |
| | Natural Directionality II | User brain gets binaural image for better representation of the speech.doesn't require user to change programs. "Increases ease of listening" | \checkmark | | | |
| | Synchronised Soft Switching | Automatic focus on speech in noisy situations "Synchronus auto-adpatation" of hearing aids in both ears | \checkmark | | | |
| Speech Understanding | Soft Switching | Smoothly switches the hearing aid between omni and directional mode depending on the sound environment. "Improves speech intelligibility in noisy situations" | ✓ | ✓ | | |
| | Multiscope Directionality | Advanced form of Directionality that allows user to decide on how many people he/she wants to focus in noisy situation "Focus on a person or group of people as needed" | \checkmark | ✓ | | |
| | Adaptive Directionality | Dynamically changes the directional pattern to reduce the loudest sounds from the rear to. "Better concentrate on signal from the front" | \checkmark | ✓ | ✓ | ✓ |
| | Environmental Classifier | Analyzes the incoming sounds and classifies them into listening environments sets foundation for a "comfortable hearing experience" | ✓ | ✓ | ✓ | ✓ |
| | Impulse Noise Reduction | Improves listening comfort and sound quality for impulse sounds like clanking silverware or jangling key "Loud sounds wont bother you" | ✓ | | | |
| | Noise Tracker II | Improves listening comfort "without compromising speech understanding" | \checkmark | ✓ | ✓ | ✓ |
| Noise Reduction | Wind Guard | Accurately detects wind noise & adaptively reduces it with out reducing volume "Comfort in windy situaions" | \checkmark | ✓ | ✓ | |
| | DFS Ultra II | Reduces Whistling sound, preserving amplification & sound quality "No whistling sound or sudden reduction of volume" | \checkmark | ✓ | ✓ | ✓ |
| | Expansion | Reduces amplification for very soft sounds which are not of interest to the wearer, such as refrigrator, electronic equipment humming etc. "Unwanted soft noise reduction" | \checkmark | ✓ | ✓ | ✓ |
| | Synchronized Acceptance Manager | Intelligent technology to get you accoustmed to new hearing aids "Data-Logging technology" ensures, your hearing aids track your progress | \checkmark | ✓ | | |
| Comfort & | Direct audio streaming (Made for i-Phone & Android ASHA) | High definition audio streaming/routing from your phones to your hearing aids. "Your hearing aids can work as bluetooth headphones" | \checkmark | ✓ | | |
| Convenience | ReSound Assist Live | Tele-audiology – Provide's individualised hearing care, in circumstances when patient cant reach clinic for adjustments | \checkmark | ✓ | ✓ | ✓ |
| | ReSound Smart 3D App | "Personalise and control your hearing aids" with just a swipe on your phone | \checkmark | ✓ | ✓ | ✓ |

ReSound LiNX Quattro Custom Hearing Aids

iSolate nanotech - All Weather Proof Hearing Aids with 2 Years Warranty Made for i-Phone, Made for Andriod with ASHA, Resound Live Assist

| Product Pictures | Model Name | | No. of Channels | Receiver Options | Fitting Range | MRP Rs |
|------------------|--------------|---------|--------------------|---------------------|------------------|-----------|
| | | LiNX C | uattro Wire | less ITC | | |
| Zinc Air 312 | LiNX Q 9 ITC | ((()) | 17 | LP/MP/HP/UP | 20-110 | 3,24,995 |
| | LiNX Q 7 ITC | ((() | 14 | LP/MP/HP/UP | 20-110 | 1,69,995 |
| | Linx Q 5 ITC | ((() | 12 | LP/MP/HP/UP | 20-110 | 1,09,995 |
| \oplus | | LiNX C | uattro Wire | less CIC | | |
| Zinc Air 10 A | Linx Q 9 CIC | | 17 | LP/MP/HP/UP | 20-110 | 3,24,995 |
| | LiNX Q 7 CIC | <u></u> | 14 | LP/MP/HP/UP | 20-110 | 1,69,995 |
| | Linx Q 5 CIC | ((i) | 12 | LP/MP/HP/UP | 20-110 | 1,09,995 |

ReSound LiNX 3D Custom Hearing Aids

| Product Pictures | Model Name | No. of Channels | Receiver Options | Fitting Range | MRP Rs |
|------------------|---------------|--------------------|---------------------|------------------|-----------|
| Zinc Air | LiNX 3D Non V | Vireless CIC v | vith UP receiv | er | |
| 10 A | LiNX 3D 9 CIC | 17 | UP | 30-110 | 389,995 |
| | LiNX 3D 7 CIC | 14 | UP | 30-110 | 209,995 |
| | LiNX 3D 5 CIC | 12 | UP | 30-110 | 89,995 |

ReSound Enya Custom Hearing Aids

| Model Name | No. of Channels | Receiver Options | Fitting Range | MRP Rs |
|------------|--------------------------|---|---|--|
| | Enya Non Wirele | ss CIC | | |
| Enya 4 CIC | 10 | LP/MP/HP/UP | 20-110 | 40,995 |
| Enya 3 CIC | 8 | LP/MP/HP/UP | 20-110 | 33,300 |
| Enya 2 CIC | 6 | LP/MP/HP/UP | 20-110 | 25,600 |
| | Enya 4 CIC Enya 3 CIC | Enya 4 CIC Enya 3 CIC Channels Channels Enya 8 | Enya Non Wireless CIC Enya 4 CIC Enya 3 CIC 8 LP/MP/HP/UP | Enya Non Wireless CIC Enya 4 CIC Enya 3 CIC Range LP/MP/HP/UP 20-110 Runge |

| Zinc Air 10 A | Eny |
|------------------|-----|
| 10 A | Eny |
| | Eny |
| | |


| Enya IIC (CIC with black face plate) | | | | | |
|--------------------------------------|----|-------|--------|--------|--|
| Enya 4 IIC | 10 | LP/MP | 20-100 | 40,995 | |
| Enya 3 IIC | 8 | LP/MP | 20-100 | 33,300 | |
| Enya 2 IIC | 6 | LP/MP | 20-100 | 25,600 | |

Gain values as per IEC60118-0 Ear Simulator ITC/CIC/IIC - Full on Gain at 50dB input: LP - 49, MP - 59, HP - 69, UP - 79

🛜 :- 2.4 GHz direct wireless connectivity products

ReSound Vea

iSolate nanotech - All Weather Proof Hearing Aids with 2 Years Warranty



Gain values as per IEC60118-0 Ear Simulator ITC/CIC - Full on Gain at 50dB input: S - 52, P - 60 BTE - Full on Gain at 50dB input: NP - 69



Acccessories MRP Inclusive of GST

| Sr. No. | Chargers for Rechargeable Hearing Aids (with 1 year warranty) | MRP Per Unit (Rs) |
|------------|---|----------------------|
| 1 | RIE Premium Charger (ReSound OMNIA, ONE, Key) | 15,495 |
| 2 | RIE Standard Charger (ReSound OMNIA, ONE) | 10,495 |
| 3 | Custom Charger (ReSound OMNIA ITC, ONE ITC) | 10,495 |
| 4 | Desktop Charger (ReSound OMNIA BTE, ONE BTE, Key RIE) | 8,495 |

| Sr. No. | Wireless Accessories (with 1 year warranty) | MRP Per Unit (Rs) |
|------------|---|----------------------|
| 5 | Phone Clip+ | 17,700 |
| 6 | TV Streamer 2 | 17,700 |
| 7 | Remote control 2 | 17,700 |
| 8 | Multi Mic | 17,700 |

| Sr. No. | Accessories | | MRP Per Unit (Rs) |
|------------|---|------------------------------------|----------------------|
| 9 | M&RIE Receivers | Available in 0, 1, 2, 3 & 4 Sizes | 9,900 |
| 10 | RIE Receivers (excluding M&RIE receivers) | Available in 0, 1, 2, 3 & 4 Sizes | 5,900 |
| 11 | M&RIE Microphone Filters | Pack includes 8 filter pieces | 700 |
| 12 | Rechargeable BTE Microphone Filter | Pack includes 8 filter pieces | 700 |
| 13 | Micromould For RIE Products | | 1,400 |
| 14 | Hard BTE Earmould | | 1,500 |
| 15 | Soft BTE Earmould | | 1,400 |
| 16 | HF3 Filter | Strip include 15 filter pieces | 1,050 |
| 17 | Cerustop Waxguard Box | Strip include 8 filter pieces | 700 |
| 18 | Reshelling Charges | Change in canal size, damaged etc. | 4,000 |
| 19 | ReSound zinc air batteries (Pack of 6) | Battery size : 675,13,312,10A | 330 |

| Sr. No. | Extended Warranty | MRP Per Unit (Rs) |
|------------|--|----------------------|
| 19 | 1 Year Extended Warranty Applicable on MRP > Rs.15,000/- | 10% of MRP + 18% GST |
| 20 | 2 Year Extended Warranty Applicable on MRP > Rs.15,000/- | 15% of MRP + 18% GST |





TV Streamer 2





Multi Mic

Remote Control 2 Phone Clip +

Charging options for ReSound hearing aids

ReSound offers rechargeable solutions with inductive charging and long battery life to keep your clients on the go.










| | | Premium charger | Standard charger | Desktop charger | Custom charger |
|--|----|-----------------|------------------|-----------------|----------------|
| ReSound OMNIA [™] miniRIE | | 06 | 06 | - | - |
| ReSound OMNIA™ RIE ReSound ONE™ RIE | | 01 | 01 | 01 | - |
| ReSound OMNIA™ BTE ReSound ONE™ BTE | | - | - | 70 | - |
| ReSound OMNIA™ PBTE ReSound ONE™ PBTE | | 1 | - | 80 | - |
| ReSound OMNIA™ ITE/ITC ReSound ONE™ ITE/ITC | 10 | - | - | - | C |
| ReSound LiNX Quattro™ RIE ReSound Key™ RIE | | 03 | - | 03 | - |

How to match ReSound hearing aids with the correct charger

Each charger type is offered with different inserts – known as the charging form factor (CFF) – which relate to a specific ReSound hearing aid collection or style.

The CFF is indicated with a number and is shown inside the charger and on the charger packaging.






Features Overview

| Features | OMNIA 9 | OMNIA 7 | OMNIA 5 | OMNIA 4 | ONE 4 | ENZO Q9 | ENZO Q7 | ENZO Q5 | Key 4 | Key 3 | Key 2 | Key 1 |
|---|---|------------------------------|--|----------------------------|----------------------------|--|----------------------------|---------------------------------|---------------------------------|----------------------------|----------------------------|-------------------------|
| WARP Bands | 17 | 14 | 12 | 12 | 12 | 17 | 14 | 12 | 12 | 8 | 6 | 4 |
| Front Focus | ✓ | - | - | _ | - | - | - | _ | - | - | - | - |
| Ultra Focus | \checkmark | \checkmark | _ | - | _ | _ | - | _ | _ | - | - | _ |
| M & RIE | \checkmark | \checkmark | √ | \checkmark | - | _ | - | - | _ | - | - | _ |
| Directionality | All Around 360° | All Access Directionality | Binaural Directionality III (Spatial Sense) | Binaural Directionality | Adaptive Directionality | Binaural Directionality III (Spatial Sense) | Binaural Directionality | Natural Directionality II | Natural Directionality II | Adaptive Directionality | Adaptive Directionality | Fixed Directionality |
| | Auto Scope | Auto Scope | Multi Scope | Fixed Beam | Fixed Beam | Auto Scope | Multi Scope | Fixed Beam | Multi Scope | Multi Scope | Fixed Beam | _ |
| Soft Switching | Sync | Sync | Sync | Sync | Sync | Sync | Sync | Basic | Sync | Basic | Basic | _ |
| Automatic Environment Adaptation | Binaural Environmental Optimizer II | Environmental Optimizer | Environmental Optimizer | - | _ | Binaural Environmental Optimizer II | Environmental Optimizer | - | _ | - | - | _ |
| Noise Tracker II | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** |
| Wind Guard | *** | *** | *** | *** | *** | *** | * * * * * | *** | *** | *** | *** | - |
| Expansion | *** | *** | *** | *** | *** | *** | *** ** | *** | *** | *** | *** | *** |
| Impulse Noise Reduction | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | - | ✓ | - | - | _ |
| Sound Shaper | \checkmark | \checkmark | \checkmark | \checkmark | \checkmark | \checkmark | \checkmark | \checkmark | _ | - | - | - |
| Chipset Generation | Gen 6+ | Gen 6+ | Gen 6+ | Gen 6+ | Gen 6 | Gen 5 | Gen 5 | Gen 5 | Gen 5 | Gen 5 | Gen 5 | Gen 5 |
| Feedback Management | DFS Ultra III | DFS Ultra III | DFS Ultra III | DFS Ultra III | DFS Ultra III | DFS Ultra II | DFS Ultra II | DFS Ultra II | DFS Ultra II | DFS Ultra II | DFS Ultra II | DFS Ultra II |
| Music Mode | √ | ✓ | √ | √ | ✓ | √ | ✓ | √ | \checkmark | - | - | - |
| Synchronized Acceptance Manager | \checkmark | √ | ✓ | √ | √ | \checkmark | \checkmark | √ | \checkmark | \checkmark | - | - |
| Tinnitus Sound Generator | \checkmark | \checkmark | \checkmark | \checkmark | \checkmark | \checkmark | \checkmark | \checkmark | \checkmark | \checkmark | \checkmark | - |
| Synchronized Push Button & Volume Control | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | _ | _ |
| Ear to Ear Communication | ✓ | \checkmark | \checkmark | \checkmark | \checkmark | \checkmark | \checkmark | \checkmark | \checkmark | \checkmark | - | - |
| Direct Audio Streaming (Made for Apple & Android ASHA) | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | - | _ |
| Resound TV streamer2, Multi Mic, Unite Phone Clip, Unite Remote Control 2 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | Remote Control Only |
| Wireless Charger | Premium | Premium | Premium | Premium | Premium | _ | - | - | Desktop | Desktop | _ | _ |
| Smart 3D App | √ | \checkmark | √ | \checkmark | \checkmark | √ | \checkmark | \checkmark | √ | √ | √ | \checkmark |
| ReSound Assist Live | \checkmark | \checkmark | \checkmark | \checkmark | \checkmark | \checkmark | \checkmark | \checkmark | \checkmark | \checkmark | \checkmark | \checkmark |







Connects you naturally

Stream audio, calls and more Stay connected with greater streaming straight to your ears without interruptions.

ReSound OMNIA



Introducing

world's smallest rechargeable RIE

earing India Private Limited Titanium, 4th Floor, Office No.401-408, Plot No. 74, Sector 15, CBD Belapur, Navi Mumbai - 400614 mer Helpline No. : +91 22 2752 4700 | www.resound.com/en-IN | www.pro.resound.com/en-in

v.facebook.com/resoundhearingindia | in www.link

ReSound GN