

WIDEX RETAIL PRICE LIST

w.e.f. 1st October 2023



SOUND LIKE NO OTHER



SOUND LIKE NO OTHER

Widex, one of the world's largest manufacturers of hearing aids, was founded in Denmark in 1956. Since our beginning, our ambition has been to create the absolute best hearing aids to deliver the most natural sound. The pursuit of natural sound guides everything we do.

Leading audiological research, quality craftsmanship, intuitive design and exceptional support all play essential roles. Yet, it is the unique technology behind natural sound that truly sets us apart. With each technical advancement we get closer to the ultimate achievement - sound so natural your client's can forget about hearing loss. Sound like no other, naturally perfect.



CONTENTS

Widex Hearing Aid Styles	04 -05
Widex Moment Sheer / Moment	06 -09
Widex Magnify	10 - 11
Widex Evoke	12 - 15
Widex Enjoy	16 - 17
Other Hearing Aids	18 - 19
Accessories and Apps	20 - 23

WIDEX MOMENT SHEER™/ MOMENT™/ MAGNIFY™ HEARING AIDS

STREAMING STYLES

Mfi & ASHA Connectivity

MRR4D (sRIC R D)

- · Elegant & Smallest RIC Rechargeable model
- Improved microphone inlets
- · Direct streaming via Bluetooth
- Wireless charging
- V.2 Receivers
- Configurable push button
- TV Play and Sound Assist compatible
- * Gain Values: V.2 M-69, V.2 P-71



NON STREAMING STYLES

MRB0 (RIC 10)

- 10 battery
- No Telecoil
- Discrete design
- No onboard control
- Dex Compatible
- Tonelink App Compatible
- * Gain Values: S-62, M-69



MRR2D (mRIC R D)

- · Elegant & Smallest RIC Rechargeable model
- · Direct streaming via Bluetooth
- · Wireless charging
- V.2 Receivers
- · Configurable push button
- TV Play and Sound Assist compatible
- * Gain Values: V.2 M-69, V.2 P-71



MBB2 (BTE 312)

- 312 battery
- Thin Tube Compatible
- · Configurable on board control
- Dex Compatible
- Tonelink App Compatible

CUSTOM STYLES



MBR3D (BTE R D)

- Discrete BTE Rechargeable solution
- Direct streaming via Bluetooth
- · Wireless Charging
- LED preference control & push button
- V.2 Thin Tubes
- TV Play and Sound Assist Compatible



XP ITC

- Dual Microphones
- 312 battery
- Sits in the ear
- Telecoil
- Dex Compatible
- Tonelink app compatible



MBB3D (BTE 13 D)

- · Direct streaming via Bluetooth
- 13 battery
- V.2 Thin Tubes
- Preference control & Push Button
- TV Play and Sound Assist Compatible

* Gain Values: 74



CIC

- · Wireless model
- 10 battery
- Sits in canal
- No telecoil
- Available as Red/ Blue/ Beige shell
- Dex Compatible
- Tonelink app Compatible
- * Gain Values: 63



MRB2D (RIC 312 D)

- · Direct streaming via Bluetooth
- 312 battery
- Configurable Push Button
- TV Play and Sound Assist Compatible

* Gain Values: S-62, M-69, P-70, HP-84



CIC- Micro (Non - Wireless)

- 10 battery
- · Sits in canal
- No telecoil
- Non-wireless
- Available as Red/ Blue/ Beige shell
- Tonelink app compatible
- * Gain Values: 63

- MRR2D : Moment/ Magnify RIC Rechargeable 312 Direct
- MBR3D : Moment/ Magnify BTE Rechargeable 13 Direct MBB3D : Moment/ Magnify BTE Battery 13 Direct
- MRB0 : Moment/ Magnify RIC Battery 10
- MBB2: Moment/ Magnify BTE Battery 312
- MRB2D : Moment/ Magnify RIC Battery 312 Direct

^{*} Gain Values: 64

^{*} Gain Values: 73

^{*} Gain Values: 67

[•] MRR4D : Moment/ Magnify RIC Rechargeable "4" Direct

WIDEX EVOKE™/ ENJOY™ HEARING AIDS

STREAMING STYLES

Mfi Connectivity

ERB2D (RIC 312 D)

- · Direct streaming via Bluetooth
- 312 battery
- TV Play compatible
- Telecoil
- Configurable Push Button

* Gain Values: S -62, M-69, P-70, HP-84



NON STREAMING STYLES

Fashion Power (FP)

- 13 battery
- Farhook
- · Separate Preference control and Program button
- Dex Compatible
- Tonelink app compatible
- * Gain Values: 77



EBB3D (BTE 13 D)

- · Direct streaming via Bluetooth
- 13 battery
- · Earhook or v.2 Thin Tube
- Preference control & Push Button
- TV Play compatible
- * Gain Values: 76



Fashion (FA)

- 312 battery
- Earhook or V.1 thin tube
- · CROS Compatible
- Dex Compatible
- · Tonelink app compatible
- * Gain Values: 71



CUSTOM STYLES

XP ITC

- Dual Microphones
- 312 battery
- · Sits in the ear
- Telecoil
- Dex Compatible
- Tonelink app compatible
- * Gain Values: 67



Fashion Mini (FM)

- Discrete style with 312 battery
- Earhook or V.1 thin tubes
- · CROS compatible
- Dex Compatible
- Tonelink app compatible
- * Gain Values: 64



CIC

- · Wireless model
- 10 battery
- · Sits in canal
- No telecoil
- · Available as Red/ Blue/ Beige shell
- Dex Compatible
- · Tonelink app Compatible
- * Gain Values: 63



ERBO (RIC 10)

- · 10 battery
- · No telecoil
- Discrete design
- No onboard control
- Tonelink app compatible
- * Gain Values: S-63, M-69



CIC- Micro (Non - Wireless)

- 10 battery
- Sits in canal
- No telecoil
- Non-wireless
- Available as Red/ Blue/ Beige shell
- Tonelink app compatible
- * Gain Values: 60



Fusion (FS)

- 312 battery
- Telecoil
- **CROS** Compatible
- Dex Compatible
- Tonelink app compatible
- * Gain Values: S-62, M -69, P-70, HP-84

[•] ERB2D : Evoke RIC Battery 312 Direct • EBB3D : Evoke/ Enjoy BTE Battery 13 Direct • ERB0 : Evoke/ Enjoy BTE Battery 10

WIDEX MOMENT SHEER™ / MOMENT™ PERFORMANCE & FEATURE OVERVIEW

AUDIBILITY IN	QUIET	440	330	220	110
PureSound™	A dedicated automatic program with ultra fast sound processing (< 0.5 ms) designed to provide natural sound quality	•	•	•	•
TruAcoustics [™] 2.0	Improved fitting calculation by Individual ear canal, ear tips and ear mould acoustics integration in to Hearing aid parameter settings	•	•	•	•
Variable Speed Compression	Automatic gearing for Smooth sound and Stable audibility in each sound class for people with all cognitive backgrounds	IE	IE	•	•
Digital Pinna	Designed to locate and focus naturally on the voice in front / behind, by mimicking the normal pinna effect	•	•		
EDRC	For audibility of soft sounds, speech understanding and comfort in loud environments (Low CT)	•	•	•	•
AUDIBILITY IN	NOISE				
Speech Enhancer	Reduces noise and enhances speech in real time in response to individual sound situations and hearing loss (SII based technology)	RT	IE		
MySound 2.0	An app feature based on AI, to personalise hearing situations in seconds utilizing equalizer & compression parameters	•	•	•	
HD Locator	Better speech intelligibility in noise with channel-specific directionality for speech emphasis	15	12	10	•
Noise Reduction SIS	Provides listening comfort by reducing noise and intensifying speech	•	•	•	•
True-Input Technology	Impressive speech intelligibility and sound quality even in very soft and loud situations (Soft sound input of 5dBSPL)	•	•	•	•
Soft Level Noise Reduction	Unwanted soft background noises are reduced for greater listening comfort (reduces soft level noise upto 11dB)	•	•	•	•
Free Focus	This universal app feature enables the user to selectively focus on speech from the left side, right side or from behind	•	•	•	•
USER COMFOR	Т	1			
Smart Wind Manager	Better Speech understanding and comfort in windy/outdoor conditions (upto 8.4 dB SNR)	•			
Sound Class Technology	Automatically detects sound environment in order to prioritise and select the feature set (based on real life sound class library)	11 (IE)	7 (IE)	4	3
TruSound AOC	Ensures distortion-free sound performance even when the hearing aid is fitted close to the fitting limit or high-level level output sounds	•	•	•	•
TruSound Softener	Preserves comfort for sudden sounds at any input level	•	•	•	
Multi Directional Active Feedback Cancellation	Minimises whistling: enhanced identification and cancelling of feedback	•	•	•	•
My Guide	An app feature empowering users to maximize the comfort, performance, and utility of their hearing aid devices after the initial fitting	•	•	•	•

USER CONTROL	_S	440	330	220	110
SoundSense Adapt	Adaptive learning to remember the user's preferred settings across multiple parameters for each environment, resulting in better sound	•	•	•	
Preference Control	Blends gain and feature adjustments for greater efficiency	•	•	•	•
Listening Programs	A wider selection of programs for more listening situations	5	4	3	3
Personal Programs	Programs created by user using My Sound 2.0 to access challenging situations (Upto 30 personal programs)	•	•	•	•
Music Reproduction	A default music listening program, dedicated music sound class and streaming template (440 : Classical & Contemporary music classification)	•	•	•	•
Speech(S) Music (M) streaming template	Specially designed streaming template for speech and music	S/M	S/M	S/M	S/M
HEARING HIGH	FREQUENCIES				
High-Frequency Boost	Clear and crisp sound in high frequencies for better music appreciation and tinnitus management	•			
Audibility Extender	Better access to HF sounds with linear frequency transposition and adaptation	•	•	•	•
Extended Frequency Bandwidth	Extended frequency range of 70 - 10,000 Hz in select form factors	•	•	•	•
TINNITUS MANA	AGEMENT				
ZEN	Multiple programs of soothing fractal tones helps user manage Tinnitus	•	•	•	•
ZEN Plus	Dedicated Toggle program with limited play time and Noise shaping	•	•	•	•
Sound Relax	Palette of fractals and relax tones for well being and Tinnitus management	•	•	•	•
FITTING AND F	INE TUNING				
Sound Diary	Easy monitoring of user data and hearing aid use - including listening situations and loudness levels	•	•	•	•
Processing and Fitting Channels	For accurate processing and speech intelligibility with variable frequency bands	15	12	10	6
Sensogram	Precision fitting with 9 frequency in situ audiometry across form factors	•	•	•	•

WIDEX MOMENT SHEER™ / MOMENT™

Model	Form Factor	Battery	Battery life (Hours)	Fitting Range (dB HL)	Unit Price (₹)
		MOMENT	SHEER™ RI	С	
	Kit - sR	IC Recharge	able Direct (M	1Fi & ASHA)	
Kit MRR4D 440*	RIC	Li-ion 312	20	0-110	7,00,000
Kit MRR4D 330°	RIC	Li-ion 312	20	0-110	5,00,000
Kit MRR4D 220*	RIC	Li-ion 312	20	0-110	2,30,000
Kit MRR4D 110*	RIC	Li-ion 312	20	0-110	1,45,000
	sRIC	Rechargeabl	e Direct (MFi	& ASHA)	
MRR4D 440	RIC	Li-ion 312	20	0-110	3,60,000
MRR4D 330	RIC	Li-ion 312	20	0-110	2,60,000
MRR4D 220	RIC	Li-ion 312	20	0-110	1,25,000
MRR4D 110	RIC	Li-ion 312	20	0-110	80,000
		MOM	IENT RIC		
				147	
MRB2D 440	RIC	312 Dire	ect (MFi & ASI 165	0-115	3,35,000
MRB2D 330	RIC	312	165	0-115	2,40,000
MRB2D 220	RIC	312	165	0-115	1,10,000
MRB2D 110	RIC	312	165	0-115	70,000
			RIC 10		·
MRB0 440	RIC	10	100	0-90	3,30,000
MRB0 330	RIC	10	100	0-90	2,30,000
MRB0 220	RIC	10	100	0-90	1,10,000
MRB0 110	RIC	10	100	0-90	70,000
		МОМ	IENT BTE		
	Kit - BT		able Direct (M	Fi & ASHA)	
Kit MBR3D 440°	BTE	Li-ion 13	30	0-105	6,60,000
Kit MBR3D 330*	BTE	Li-ion 13	30	0-105	4,66,000
Kit MBR3D 220°	BTE	Li-ion 13	30	0-105	2,20,000
Kit MBR3D 110*	ВТЕ	Li-ion 13	30	0-105	1,40,000
	BTE	Rechargeabl	e Direct (MFi	& ASHA)	
MBR3D 440	BTE	Li-ion 13	30	0-105	3,40,000
MBR3D 330	BTE	Li-ion 13	30	0-105	2,43,000
MBR3D 220	BTE	Li-ion 13	30	0-105	1,18,000
MBR3D 110	ВТЕ	Li-ion 13	30	0-105	75,000
		BTE 13 Dire	ct (MFi & ASH	IA)	
MBB3D 440	BTE	13	235	0-105	3,30,000
MBB3D 330	BTE	13	235	0-105	2,30,000
MBB3D 220	BTE	13	235	0-105	1,10,000
MBB3D 110	BTE	13	235	0-105	70,000

^{*} Kit includes two hearing aids and a standard charger

Battery life varies with streaming
 RIC fitting range varies with receiver

Mini BTE 312

MBB2 440	BTE	312	155	0-95	3,25,000
MBB2 330	BTE	312	155	0-95	2,30,000
MBB2 220	BTE	312	155	0-95	1,10,000
MBB2 110	BTE	312	155	0-95	70,000

		MOMEN					
MOMENT CUSTOM							
			ITC				
M XP 440	ITC	312	150	0-85	3,15,000		
M XP 330	ITC	312	150	0-85	2,30,000		
M XP 220	ITC	312	150	0-85	1,10,000		
M XP 110	ITC	312	150	0-85	70,000		
			CIC				
M CIC 440	CIC	10	105	0-90	3,15,000		
M CIC 330	CIC	10	105	0-90	2,30,000		
M CIC 220	CIC	10	105	0-90	1,10,000		
M CIC 110	CIC	10	105	0-90	70,000		
	•	CIC MICRO (NON-WIRELE	ESS)			
M CIC M 440	CIC	10	110	0-90	3,15,000		
M CIC M 330	CIC	10	110	0-90	2,30,000		
M CIC M 220	CIC	10	110	0-90	1,10,000		
M CIC M 110	CIC	10	110	0-90	70,000		

MRR4D STANDARD CHARGER WPT103



MRP (₹) 11,000/-Inclusive of Taxes

MRR2D STANDARD CHARGER WPT102



MRP (₹) 11,000/-Inclusive of Taxes

MBR3D STANDARD CHARGER WPT202



MRP (₹) 11,000/-Inclusive of Taxes

MRR4D /MRR2D CHARGE N CLEAN WPC101



MRP (₹) 15,000/-Inclusive of Taxes

MBR3D CHARGE N CLEAN WPC201



MRP (₹) 15,000/-Inclusive of Taxes

WIDEX MAGNIFY™ - PERFORMANCE & FEATURE OVERVIEW

AUDIBILITY IN	QUIET	100	50	30
Universal	An automatic program with faster sound processing of 2.5 ms designed to provide superior sound in all situations	•	•	•
TruAcoustics [™] 2.0	Improved fitting calculation by Individual ear canal and ear mould acoustics integration in to Hearing aid parameter settings	•	•	•
EDRC	For audibility of soft sounds, speech understanding and comfort in loud environments (Low CT)	•	•	•
AUDIBILITY IN	NOISE			
Locator	Better speech intelligibility in noise with specific directionality for speech emphasis	•	•	FIXED
Noise Reduction	Provides listening comfort by reducing noise and intensifying speech	SIS	СОМ	MIN
True-Input Technology	Impressive speech intelligibility and sound quality even in very soft and loud situations (Soft sound input of 5dBSPL) (IDR : 108 dB)	•	•	•
Soft Level Noise Reduction	Unwanted soft background noises are reduced for greater listening comfort (reduces soft level noise upto 6dB)	•	•	•
Free Focus	This universal app feature enables the user to selectively focus on speech from the left side, right side or from behind	•	•	
USER COMFOR	T & USER CONTROLS			
Wind noise control	Reduction of overall wind noise for comfort	•	•	
Listening Programs	A wider selection of programs for more listening situations	3	3	3
Personal Programs	Programs created by user using Equalizer to access challenging situations (Upto 30 personal programs)	•	•	
Music Reproduction	A defualt music listening program and audio streaming template	•	•	•
Speech(S) Music (M) Streaming Template	Specially designed audio streaming template for speech and music	S/M	S/M	
Smart Speak	Voice alerts for easy hearing aid management	•	•	
HEARING HIGH	FREQUENCIES			
Audibility Extender	Better access to HF sounds with linear frequency transposition and adaptation	•		
Extended Frequency Bandwidth	Extended frequency range of 70 - 10,000 Hz in select form factors (Upto 11.2 kHz for Music)	•	•	•
TINNITUS MANA	AGEMENT			
ZEN	Multiple programs of soothing fractal tones helps user manage Tinnitus	•	•	
ZEN Plus	Dedicated Toggle program with limited play time and Noise shaping	•	•	
FITTING AND F	INE TUNING			
Sound Diary	Easy monitoring of user data and hearing aid use - including listening situations and loudness levels	•	•	
Processing and Fitting channels	For accurate processing and speech intelligibility with variable frequency bands	6	4	4
Sensogram	Precision fitting with inter octave frequency in situ audiometry across form factors	•	•	•

WIDEX MAGNIFY™

Model	Form Factor	Battery	Battery life (Hours)	Fitting Range (dB HL)	Unit Price (₹)
		MAG	NIFY RIC		
	Kit - mR	IC Recharge	able Direct (N	1Fi & ASHA)	
Kit MRR2D 100*	RIC	Li-ion 312	20	0-110	1,10,000
Kit MRR2D 50 [*]	RIC	Li-ion 312	20	0-110	82,990
	mRIC	Rechargeab	le Direct (MFi	& ASHA)	
MRR2D 100	RIC	Li-ion 312	20	0-110	56,990
MRR2D 50	RIC	Li-ion 312	20	0-110	42,990
		RIC 312 Dire	ct (MFi & ASI	HA)	
MRB2D 100	RIC	312	165	0-115	48,500
MRB2D 50	RIC	312	165	0-115	38,500
		F	RIC 10		
MRB0 100	RIC	10	100	0-90	48,500
MRB0 50	RIC	10	100	0-90	35,500
MRB0 30	RIC	10	100	0-90	25,500
		144.6	MEV BEE		
			NIFY BTE		
	Kit - mR	IC Recharge	able Direct (N	1Fi & ASHA)	
Kit MBR3D 100*	BTE	Li-ion 13	30	0-105	1,10,000
Kit MBR3D 50*	BTE	Li-ion 13	30	0-105	82,990
	BTE I	Rechargeabl	e Direct (MFi	& ASHA)	
MBR3D 100	BTE	Li-ion 13	30	0-105	55,990
MBR3D 50	BTE	Li-ion 13	30	0-105	42,990
		BTE 13 Dire	ct (MFi & ASF	IA)	
MBB3D 100	BTE	13	235	0-105	48,500
MBB3D 50	BTE	13	235	0-105	35,500
		Mini	BTE 312		
MBB2 100	BTE	312	155	0-95	48,500
MBB2 50	BTE	312	155	0-95	35,500
MBB2 30	BTE	312	155	0-95	25,500
		MAGNII	FY CUSTOM		
			ITC		
M XP 100	ITC	312	150	0-85	48,500
M XP 50	ITC	312	150	0-85	35,500
M XP 30	ITC	312	150	0-85	25,500
			CIC		
M CIC 100	CIC	10	105	0-90	48,500
M CIC 50	CIC	10	105	0-90	35,500
M CIC 30	CIC	10	105	0-90	25,500
			NON WIRELE		
M CIC M 100	CIC	10	110	0-90	48,500
M CIC M 50	CIC	10	110	0-90	35,500
M CIC M 30	CIC	10	110	0-90	25,500

^{*} Kit includes two hearing aids and a standard charger • Battery life varies with streaming • RIC fitting range varies with receiver

WIDEX EVOKE - PERFORMANCE & FEATURE OVERVIEW

AUDIBILITY IN	QUIET	440	330	220	110
Jniversal	An automatic program with faster sound processing of 2.5 ms designed to provide superior sound in all situations	•	•	•	•
AISA	Fitting calculation for Individual ear canal and ear mould acoustics integration in to Hearing aid parameter settings	•	•	•	•
Variable Speed Compression	Automatic gearing for Smooth sound and Stable audibility in each sound class for people with all cognitive backgrounds	IE	IE	•	•
EDRC	For audibility of soft sounds, speech understanding and comfort in loud environments (Low CT)	•	•	•	•
AUDIBILITY IN I	NOISE				
Speech Enhancer	Reduces noise and enhances speech in real time in response to individual sound situations and hearing loss (SII based technology)	RT	IE		
Sound Sense Learn	An app feature based on AI, to personalise hearing situations in seconds utilizing equalizer	•	•	•	
HD Locator	Better speech intelligibility in noise with channel-specific directionality for speech emphasis	15	12	10	•
Noise Reduction	Provides listening comfort by reducing noise and intensifying speech	•	•	•	•
True-Input Technology	Impressive speech intelligibility and sound quality even in very soft and loud situations (Soft sound input of 5dBSPL)	•	•	•	•
Soft Level Noise Reduction	Unwanted soft background noises are reduced for greater listening comfort (reduces soft level noise upto 11dB)	•	•	•	•
Free Focus	This universal app feature enables the user to selectively focus on speech from the left side, right side or from behind	•	•	•	•
USER COMFOR	Т				
Smart Wind Manager	Better Speech understanding and comfort in windy/outdoor conditions (upto 8.4 dB SNR)	•			
Sound Class Technology	Automatically detects sound environment in order to prioritise and select the feature set (based on real life sound class library)	11 (IE)	7 (IE)	4	3
TruSound AOC	Ensures distortion-free sound performance even when the hearing aid is fitted close to the fitting limit or high-level level output sounds	•	•	•	•
TruSound Softener	Preserves comfort for sudden sounds at any input level	•	•	•	
Multi Directional Active Feedback Cancellation	Minimises whistling : enhanced identification and cancelling of feedback	•	•	•	•
USER CONTRO	LS				
SoundSense Adapt	Adaptive learning to remember the user's preferred settings across multiple parameters for each environment, resulting in better sound	•	•	•	
Preference Control	Blends gain and feature adjustments for greater efficiency	•	•	•	•

USER CONTROL	_S	440	330	220	110
Listening Programs	A wider selection of programs for more listening situations	5	4	3	3
Personal Programs	Programs created by user using Sound Sense learn to access challenging situations (Upto 30 personal programs)	•	•	•	•
Music Reproduction	A default music listening program, dedicated music sound class and streaming template (440 : Classical & Contemporary music classification)	•	•	•	•
Speech(S) Music (M) streaming template	Specially designed streaming template for speech and music	S/M	S/M	S/M	S/M
HEARING HIGH	FREQUENCIES				
High-Frequency Boost	Clear and crisp sound in high frequencies for better music appreciation and tinnitus management	•			
Audibility Extender	Better access to HF sounds with linear frequency transposition and adaptation	•	•	•	•
Extended Frequency Bandwidth	Extended frequency range of 70 - 10,000 Hz in select form factors	•	•	•	•
TINNITUS MANA	AGEMENT				
ZEN	Multiple programs of soothing fractal tones helps user manage Tinnitus	•	•	•	•
ZEN Plus	Dedicated Toggle program with limited play time and Noise shaping	•	•	•	•
FITTING AND F	INE TUNING				
Sound Diary	Easy monitoring of user data and hearing aid use - including listening situations and loudness levels	•	•	•	•
Processing and Fitting Channels	For accurate processing and speech intelligibility with variable frequency bands	15	12	10	6
Sensogram	Precision fitting with 9 frequency in situ audiometry across form factors	•	•	•	•

WIDEX EVOKE™

Model	Form Factor	Battery	Battery life (Hours)	Fitting Range (dB HL)	Unit Price (₹)
		EV	OKE RIC		
		RIC 312	Direct (MFi)		
ERB2D 440	RIC	312	170	0-115	2,00,000
ERB2D 330	RIC	312	170	0-115	1,40,000
ERB2D 220	RIC	312	170	0-115	80,000
ERB2D 110	RIC	312	170	0-115	65,000
F2 440	RIC	312	170	0-115	2,00,000
F2 330	RIC	312	170	0-115	1,40,000
F2 220	RIC	312	170	0-115	80,000
F2 110	RIC	312	170	0-115	65,000
		F	RIC 312		
FS 440	RIC	312	170	0-115	2,00,000
FS 330	RIC	312	170	0-115	1,40,000
FS 220	RIC	312	170	0-115	80,000
FS 110	RIC	312	170	0-115	65,000
			RIC 10		
ERB0 440	RIC	10	100	0-90	2,00,000
ERB0 330	RIC	10	100	0-90	1,40,000
ERB0 220	RIC	10	100	0-90	80,000
ERB0 110	RIC	10	100	0-90	65,000
PA 440	RIC	10	100	0-90	2,00,000
PA 330	RIC	10	100	0-90	1,40,000
PA 220	RIC	10	100	0-90	80,000
PA 110	RIC	10	100	0-90	65,000
		FV	OKE BTE		
			Direct (MFi)	2.40=	
EBB3D 440	BTE	13	230	0-105	2,00,000
EBB3D 330	BTE	13	230	0-105	1,40,000
EBB3D 220	BTE	13	230	0-105	80,000
EBB3D 110	BTE	13	230	0-105	65,000
			BTE 312	1	
FA 440	BTE	312	160	0-95	2,00,000
FA 330	BTE	312	160	0-95	1,40,000
FA 220	BTE	312	160	0-95	80,000
FA 110	ВТЕ	312	160	0-95	65,000
		Min	i BTE 312		
FM 440	BTE	312	155	0-95	2,00,000
FM 330	BTE	312	155	0-95	1,40,000
FM 220	BTE	312	155	0-95	80,000
FM 110	BTE	312	155	0-95	65,000

 \bullet Battery life varies with streaming \bullet RIC fitting range varies with receiver

EVOKE CUSTOM								
			ITC					
XP 440	ITC	312	140	0-85	2,00,000			
XP 330	ITC	312	140	0-85	1,40,000			
XP 220	ITC	312	140	0-85	80,000			
XP 110	ITC	312	140	0-85	65,000			
	CIC							
CIC 440	CIC	10	105	0-90	2,00,000			
CIC 330	CIC	10	105	0-90	1,40,000			
CIC 220	CIC	10	105	0-90	80,000			
CIC 110	CIC	10	105	0-90	65,000			
		CIC MICRO (NON - WIREL	ESS)				
CIC M 440	CIC	10	100	0-90	2,00,000			
CIC M 330	CIC	10	100	0-90	1,40,000			
CIC M 220	CIC	10	100	0-90	80,000			
CIC M 110	CIC	10	100	0-90	65,000			

EVOKE POWER BTE						
Evoke FP 440	BTE	13	280	20-110	2,00,000	
Evoke FP 330	BTE	13	280	20-110	1,40,000	
Evoke FP 220	BTE	13	280	20-110	80,000	
Evoke FP 110	BTE	13	280	20-110	65,000	



WIDEX ENJOY - PERFORMANCE & FEATURE OVERVIEW

AUDIBILITY IN	QUIET	100	50	30
Jniversal	An automatic program with faster sound processing of 2.5 ms designed to provide superior sound in all situations	•	•	•
AISA	Fitting calculation for Individual ear canal and ear mould acoustics integration in to Hearing aid parameter settings	•	•	•
EDRC	For audibility of soft sounds, speech understanding and comfort in loud environments (Low CT)	•	•	•
Fitting Rationale Options	Widex fitting rationale / NAL-NL2/ DSL v5.0a	•	•	•
AUDIBILITY IN I	NOISE			
Locator	Better speech intelligibility in noise with specific directionality for speech emphasis	•	•	FIXED
Noise Reduction	Provides listening comfort by reducing noise and intensifying speech	SIS	СОМ	MIN
True-Input Technology	Impressive speech intelligibility and sound quality even in very soft and loud situations (Soft sound input of 5dBSPL)	•	•	•
Soft Level Noise Reduction	Unwanted soft background noises are reduced for greater listening comfort (reduces soft level noise upto 6dB)	•	•	
Free Focus	This universal app feature enables the user to selectively focus on speech from the left side, right side or from behind	•	•	
USER COMFOR	T & USER CONTROLS			
Listening Programs	A wider selection of programs for more listening situations	3	3	3
Personal Programs	Programs created by user using Equalizer to access challenging situations (Upto 30 personal programs)	•	•	
Smart Speak	Voice alerts for easy hearing aid management	•	•	
HEARING HIGH	FREQUENCIES			
Audibility Extender	Better access to HF sounds with linear frequency transposition and adaptation	•		
Extended Frequency Bandwidth	Extended frequency range of 70 - 10,000 Hz in select form factors	•	•	•
TINNITUS MANA	AGEMENT			
ZEN	Multiple programs of soothing fractal tones helps user manage Tinnitus	•	•	
ZEN Plus	Dedicated Toggle program with limited play time and Noise shaping	•	•	
FITTING AND FI	INE TUNING			
Sound Diary	Easy monitoring of user data and hearing aid use - including listening situations and loudness levels	•	•	
Processing and Fitting channels	For accurate processing and speech intelligibility with variable frequency bands	6	4	4
Sensogram	Precision fitting with inter octave frequency in situ audiometry across form factors	•	•	•

WIDEX ENJOY™

Model	Form Factor	Battery	Battery life (Hours)	Fitting Range (dB HL)	Unit Price (₹)
		EN.	JOY RIC		
		RIC 312	Direct (MFi)		
F2 100	RIC	312	170	0-115	46,000
F2 50	RIC	312	170	0-115	30,000
		R	IC 312		
FS 100	RIC	312	170	0-115	46,000
FS 50	RIC	312	170	0-115	25,000
		F	RIC 10		
ERB0 100	RIC	10	100	0-90	46,000
PA 100	RIC	10	100	0-90	46,000
					,
		ENJ	OY BTE		
		BTE 13	Direct (MFi)		
EBB3D 100	BTE	13	230	0-105	46,000
EBB3D 50	BTE	13	230	0-105	30,000
		В	TE 312		
FA 100	BTE	312	160	0-95	46,000
FA 50	BTE	312	160	0-95	25,000
FA 30	BTE	312	160	0-95	20,000
		MIN	I BTE 312		
FM 100	BTE	312	155	0-95	46,000
FM 50	BTE	312	155	0-95	25,000
FM 30	BTE	312	155	0-95	20,000
				'	
		ENJO'	Y CUSTOM		
			ITC		
XP 100	ITC	312	150	0-85	46,000
XP 50	ITC	312	150	0-85	25,000
XP 30	ITC	312	150	0-85	21,000
			CIC		
CIC 100	CIC	10	105	0-90	46,000
CIC 50	CIC	10	105	0-90	25,000
	(CIC MICRO (NON-WIRELE	ESS)	
CIC M 100	CIC	10	110	0-90	46,000
CIC M 50	CIC	10	110	0-90	25,000
		ENJOY	POWER BTE		
Enjoy FP 100	BTE	13	280	20-110	46,000
Enjoy FP 50	BTE	13	280	20-110	25,000
					20,000
Enjoy FP 30	BTE	13	280	20-110	20,000

 \bullet Battery life varies with streaming \bullet RIC fitting range varies with receiver

OTHER HEARING AIDS

	OTTIER HEARING AIDS						
Model	Form Factor	Battery	Battery life (Hours)	Fitting Range (dB HL)	Unit Price (₹)		
		WIDE	MOMENT				
MRR2D 440	RIC	Li-ion 312	20	0-110	3,45,000		
MRR2D 330	RIC	Li-ion 312	20	0-110	2,45,000		
MRR2D 220	RIC	Li-ion 312	20	0-110	1,20,000		
MRR2D 110	RIC	Li-ion 312	20	0-110	70,000		
		WIDEX M	AGNIFY (60	0)			
MRB2D 60	BTE	13	235	0-105	40,500		
MRB0 60	BTE	10	100	0-90	40,500		
MBB3D 60	BTE	13	235	0-105	40,500		
MBB2 60	BTE	312	155	0-95	40,500		
		MAGNI	Y CUSTOM				
M XP 60	ITC	312	150	0-85	40,500		
M CIC 60	CIC	10	105	0-90	40,500		
M CIC M 60	CIC	10	110	0-90	40,500		
	_	FN	IOY RIC	_	_		
F2 440	DIC			0-115	2.75.500		
F2 440	RIC	312	170		2,75,500		
F2 330	RIC	312	170	0-115	1,85,500		
F2 220	RIC	312	170	0-115	1,00,000		
F2 110	RIC	312	170	0-115	55,000		
FS 440	RIC	312	170	0-115	2,75,500		
FS 330	RIC	312	170	0-115	1,85,500		
FS 220	RIC	312	170	0-115	80,000		
FS 110	RIC	312	170	0-115	50,000		
PA 440	RIC	10	100	0-90	2,75,500		
PA 330	RIC	10	100	0-90	1,85,500		
PA 220	RIC	10	100	0-90	80,000		
PA 110	RIC	10	100	0-90	50,000		
		ENJ	OY BTE				
EBB3D 440	ВТЕ	13	230	0-105	2,75,500		
EBB3D 330	BTE	13	230	0-105	1,85,500		
EBB3D 220	BTE	13	230	0-105	95,000		
EBB3D 110	BTE	13	230	0-105	50,000		
FA 440	BTE	312	160	0-95	2,75,500		
FA 330	BTE	312	160	0-95	1,85,500		
FA 220	BTE	312	160	0-95	95,000		
FA 110	BTE	312	160	0-95	50,000		
FM 440	BTE	312	155	0-95	2,75,500		
FM 330	BTE	312	155	0-95	1,85,500		
FM 220	BTE	312	155	0-95	95,000		
FM 110	BTE	312	155	0-95	50,000		

FP 440	BTE	13	155	20-110	2,75,500
FP 330	BTE	13	155	20-110	1,85,500
FP 220	BTE	13	155	20-110	95,000
FP 110	BTE	13	155	20-110	50,000

ENJOY CUSTOM						
XP 440	ITC	312	140	0-85	2,75,500	
XP 330	ITC	312	140	0-85	1,85,500	
XP 220	ITC	312	140	0-85	95,000	
XP 110	ITC	312	140	0-85	50,000	
CIC 440	CIC	10	105	0-90	2,75,500	
CIC 330	CIC	10	105	0-90	1,85,500	
CIC 220	CIC	10	105	0-90	95,000	
CIC 110	CIC	10	105	0-90	50,000	
CIC M 440	CIC	10	100	0-90	2,75,500	
CIC M 330	CIC	10	100	0-90	1,85,500	
CIC M 220	CIC	10	100	0-90	95,000	
CIC M 110	CIC	10	100	0-90	50,000	

WIDEX UNIQUE 30						
FA 30	BTE	312	140	0-95	19,000	
FP 30	Power BTE	13	260	20-110	19,000	
FM 30	Mini BTE	312	135	0-95	19,000	
FS 30	RIC	312	150	0-115	23,000	
XP 30	ITC	312	130	0-85	20,000	
CIC 30	CIC	10	100	0-90	20,000	
CIC M 30	Micro CIC	10	100	0-90	20,000	

APPS, DEX & CROS COMPATIBILITY

	APPS						
APPS	MOMENT	MAGNIF	r EVO	KE EN	YJOY -	TONELINK	REMOTE CARE
MRR4D	•					•	•
MRR2D		•				•	•
MRB2D	•	•				•	•
MBR3D	•	•				•	•
MBB3D	•	•				•	•
MRB0						•	•
MBB2						•	•
ERB2D F2			•		•	•	•
EBB3D			•		•	•	•
FS						•	•
ERBO PA						•	•
FA/FM/FP						•	•
ITC/CIC						•	•
CIC-M						•	
		DE	X & CR	OS			
DEX	SOUND ASSIST	TV PLAY	TV DEX	COM DEX	REMOTE MIC	RC DEX	CROS/ BICROS
MRR4D	•	•	•	•	•	•	
MRR2D	•	•	•	•	•	•	
MRB2D	•	•	•	•	•	•	
MBR3D	•	•	•	•	•	•	
MBB3D	•	•	•	•	•	•	
MRB0			•	•	•	•	•
MBB2			•	•	•	•	•
ERB2D F2		•	•	•	•	•	
EBB3D		•	•	•	•	•	
				•	•	•	•
FS			•				
FS ERBO PA			•	•	•	•	•
			•	•	•	•	•
ERBO PA			•	•			

Terms and Conditions :

- 1. Widex hearing aids carry a standard warranty of 2 years
- 2. Accessories including chargers carry a warranty of 1 year
- 3. Prices of Accessories are inclusive of GST
- 4. Custom Styles and Custom eartips MRP includes making charges $\,$

WIDEX ACCESSORIES

WIDEX ZINC AIR BATTERIES THIN TUBES Widex 675 (6 Batteries) 390 0.9 Easywear Thin Tube (0-4) L/R 590 Widex 13 (6 Batteries) 390 1.4 Easywear Thin Tube (0-4) L/R 708 Widex 13 (6 Batteries) 390 0.9 V2 Easywear Thin Tube (0-4) L/R 826 Widex 10 (6 Batteries) 390 1.4 V2 Easywear Thin Tube (0-4) L/R 826 CROS/BICROS EASYWEAR INSTANT EARTIPS CROS/BICROS FS 30,000 Open Eartip (Size: XS/S/L) (10 Pcs) 708 CROS/BICROS FA 30,000 Open Round Eartip (Size: XS/S/ML) (10 Pcs) 708 REMOTE CARE 15,000 Round Eartip - One Vent (Size: S/M/L) (10 Pcs) 708 RECEIVERS Sleeve Vented (Size: XS/S/M/L) (10 Pcs) 708 EASYWEAR RECEIVERS CUSTOM EARTIPS CUSTOM EARTIPS REC Elver (0-4) L/R 4,130 P Receiver (0-4) L/R 4,130 BTE Hard Mould 1,100	ITEM	UNIT PRICE ₹	ITEM	UNIT PRICE ₹
Widex 13 (6 Batteries) 390	WIDEX ZINC AIR BATTERIES		THIN TUBES	
Widex 312 (6 Batteries) 390 0.9 V2 Easywear Thin Tube (0-4) L/R 826 Widex 10 (6 Batteries) 390 1.4 V2 Easywear Thin Tube (0-4) L/R 826 CROS/BICROS EASYWEAR INSTANT EARTIPS CROS/BICROS FS 30,000 Open Eartip (Size: XS/S/L) (10 Pcs) 708 REMOTE CARE REMOTE CARE Remote link 15,000 Remote link 15,000 Round Eartip (Size: S/M/L) (10 Pcs) 708 RECEIVERS EASYWEAR RECEIVERS EASYWEAR RECEIVERS CUSTOM EARTIPS CUSTOM EARTIPS CUSTOM EARTIPS CUSTOM EARTIPS CUSTOM EARTIPS CUSTOM EARTIPS WIER Land Gould 1,100 WERSION 2 - EASYWEAR RECEIVERS VERSION 2 - EASYWEAR RECEIVERS WIER Eartip (eartip along with tube) 118 BTE Eartip (eartip along with tube) 118 BTE Eartip (eartip along with tube) 118	Widex 675 (6 Batteries)	390	0.9 Easywear Thin Tube (0-4) L/R	590
Wildex 10 (6 Batteries) 390 1.4 V2 Easywear Thin Tube (0-4) L/R 826 CROS/BICROS EASYWEAR INSTANT EARTIPS CROS/BICROS FS 30,000 Open Eartip (Size: XS/S/L) (10 Pcs) 708 CROS/BICROS FA 30,000 Open Round Eartip (Size: X/M/L) (10 Pcs) 708 REMOTE CARE Remote link 15,000 Round Eartip (Size: XS/S/M/L) (10 Pcs) 708 RECEIVERS EASYWEAR RECEIVERS CUSTOM EARTIPS CUSTOM EARTIPS CUSTOM EARTIPS CUSTOM EARTIPS VERSION 2 - EASYWEAR RECEIVERS VERSION 2 - EASYWEAR RECEIVERS WISCELLANEOUS VERSION 2 - EASYWEAR RECEIVERS WISCELLANEOUS WISCELLANEOUS VERSION 2 - EASYWEAR RECEIVERS WE Receiver (Size: 0-4) L/R 4,484 V2 P Receiver (Size: 0-4) L/R 4,484 WISCELLANEOUS BTE Ear Tip (S/M/L)	Widex 13 (6 Batteries)	390	1.4 Easywear Thin tube (0-4) L/R	708
CROS/BICROS EASYWEAR INSTANT EARTIPS CROS/BICROS FS 30,000 Open Eartip (Size: Xs/S/L) (10 Pcs) 708 CROS/BICROS FA 30,000 Open Round Eartip (Size: S/M/L) (10 Pcs) 708 REMOTE CARE Round Eartip - One Vent (Size: S/M/L) (10 Pcs) 708 Remote link 15,000 Round Eartip - Two Vent (Size: S/M/L) (10 Pcs) 708 RECEIVERS Sleeve Vented (Size: XS/S/M/L) (10 Pcs) 708 EASYWEAR RECEIVERS Sleeve Power (Size: XS/S/M/L) (10 Pcs) 708 B Receiver (0-4) L/R 4,130 RIC Custom Hard Eartip 2,360 B P Receiver (0-4) L/R 4,130 BTE Hard Mould 900 B PR Receiver (0-4) L/R 4,130 BTE Soft Mould 1,100 WERSION 2 - EASYWEAR RECEIVERS VZ M Receiver (Size: 0-4) L/R 4,484 BTE LANEOUS WERSION 2 - EASYWEAR RECEIVERS BTE Eart [ip (s/M/L) 59 VZ M Receiver (Size: 0-4) L/R 4,484 BTE LANEOUS 118 VZ M Receiver (Size: 0-4) L/R 4,484 BTE Eart [ip (s/M/L) 59	Widex 312 (6 Batteries)	390	0.9 V2 Easywear Thin Tube (0-4) L/R	826
CROS/BICROS FS 30,000 Open Eartip (Size: XS/S/L) (10 Pcs) 708 CROS/BICROS FA 30,000 Open Round Eartip (Size: S/M/L) (10 Pcs) 708 REMOTE CARE Round Eartip - One Vent (Size: S/M/L) (10 Pcs) 708 Remote link 15,000 Round Eartip - One Vent (Size: S/M/L) (10 Pcs) 708 RECEIVERS Sleeve Vented (Size: XS/S/M/L) (10 Pcs) 708 EASYWEAR RECEIVERS Double Eartip (Size: XS/S/M/L) (10 Pcs) 708 S Receiver (0-4) L/R 4,130 RIC Custom Hard Eartip 2,360 P Receiver (0-4) L/R 4,130 BTE Hard Mould 900 HP Receiver (0-4) L/R 4,130 BTE Soft Mould 1,100 WERSION 2 - EASYWEAR RECEIVERS BTE Eartip (eartip along with tube) 118 V2 M Receiver (Size: 0-4) L/R 4,484 BTE L Bend 41 V2 P Receiver (Size: 0-4) L/R 4,484 BTE Eart Tip (S/M/L) 59 Dry Kit 177 Wax Guard Kit (8pcs) 348 Cleaning Kit 138	Widex 10 (6 Batteries)	390	1.4 V2 Easywear Thin Tube (0-4) L/R	826
CROS/BICROS FA 30,000 Open Round Eartip (Size: S/M/L) (10 Pcs) 708 REMOTE CARE Round Eartip (Size: S/M/L) (10 Pcs) 708 Remote link 15,000 Round Eartip - One Vent (Size: S/M/L) (10 Pcs) 708 RECEIVERS Sleeve Vented (Size: XS/S/M/L) (10 Pcs) 708 EASYWEAR RECEIVERS Sleeve Power (Size: XS/S/M/L) (10 Pcs) 708 S Receiver (0-4) L/R 4,130 RIC Custom Hard Eartip 2,360 P Receiver (0-4) L/R 4,130 BTE Hard Mould 900 HP Receiver (0-4) L/R 4,130 BTE Soft Mould 1,100 WISCELLANEOUS VZ M Receiver (Size: 0-4) L/R 4,484 BTE Lartip (eartip along with tube) 118 V2 P Receiver (Size: 0-4) L/R 4,484 BTE Lartip (S/M/L) 59 Dry Kit Dry Kit 177 Wax Guard Kit (8pcs) 348 Cleaning Kit 138	CROS/BICROS		EASYWEAR INSTANT EARTIPS	
Tulip Eartip (Size: M/L) (10 Pcs) 708	CROS/BICROS FS	30,000	Open Eartip (Size: XS/S/L) (10 Pcs)	708
REMOTE CARE Round Eartip - One Vent (Size: S/M/L) (10 Pcs) 708 Remote link 15,000 Round Eartip - Two Vent (Size: S/M/L) (10 Pcs) 708 RECEIVERS S Receiver (0-4) L/R 4,130 Double Eartip (Size: XS/S/M/L) (10 Pcs) 708 EASYWEAR RECEIVERS RIC Custom Hard Eartip 2,360 P Receiver (0-4) L/R 4,130 BTE Hard Mould 900 HP Receiver (0-4) L/R 4,130 BTE Soft Mould 1,100 WERSION 2 - EASYWEAR RECEIVERS MISCELLANEOUS VERSION 2 - EASYWEAR RECEIVERS BTE Eartip (eartip along with tube) 118 V2 M Receiver (Size: 0-4) L/R 4,484 BTE Lamb 41 V2 P Receiver (Size: 0-4) L/R 4,484 BTE Ear Tip (S/M/L) 59 Dry Kit 177 Wax Guard Kit (8pcs) 348 Cleaning Kit 138	CROS/BICROS FA	30,000	Open Round Eartip (Size: S/M/L) (10 Pcs)	708
Remote link 15,000 Round Eartip - Two Vent (Size: S/M/L) (10 Pcs) 708			Tulip Eartip (Size: M/L) (10 Pcs)	708
Sleeve Vented (Size: XS/S/M/L) (10 Pcs) 708	REMOTE CARE		Round Eartip - One Vent (Size: S/M/L) (10 Pcs)	708
Sleeve Power (Size: XS/S/M/L) (10 Pcs) 708	Remote link	15,000	Round Eartip - Two Vent (Size: S/M/L) (10 Pcs)	708
Double Eartip (Size: XS/S/M/L) (10 Pcs) 708			Sleeve Vented (Size: XS/S/M/L) (10 Pcs)	708
S Receiver (0-4) L/R	RECEIVERS		Sleeve Power (Size: XS/S/M/L) (10 Pcs)	708
S Receiver (0-4) L/R 4,130 M Receiver (0-4) L/R 4,130 P Receiver (0-4) L/R 4,130 HP Receiver (0-4) L/R 4,130 WERSION 2 - EASYWEAR RECEIVERS BTE Soft Mould V2 M Receiver (Size: 0-4) L/R 4,484 V2 P Receiver (Size: 0-4) L/R 4,484 BTE L Bend 41 V2 P Receiver (Size: 0-4) L/R 4,484 BTE Ear Tip (S/M/L) 59 Dry Kit 177 Wax Guard Kit (8pcs) 348 Cleaning Kit 138	EASYWEAR RECEIVERS		Double Eartip (Size: XS/S/M/L) (10 Pcs)	708
M Receiver (0-4) L/R 4,130 RIC Custom Hard Eartip 2,360 P Receiver (0-4) L/R 4,130 BTE Hard Mould 900 MISCELLANEOUS WERSION 2 - EASYWEAR RECEIVERS V2 M Receiver (Size: 0-4) L/R 4,484 BTE L Bend 41 V2 P Receiver (Size: 0-4) L/R 4,484 BTE L Bend 41 V2 P Receiver (Size: 0-4) L/R 4,484 BTE Ear Tip (S/M/L) 59 Dry Kit 177 Wax Guard Kit (8pcs) 348 Cleaning Kit 138	S Receiver (0-4) L/R	4.130	CUSTOM EARTIPS	
P Receiver (0-4) L/R 4,130 BTE Hard Mould 900 HP Receiver (0-4) L/R 4,130 BTE Soft Mould 1,100 MISCELLANEOUS V2 M Receiver (Size: 0-4) L/R 4,484 BTE Eartip (eartip along with tube) 118 V2 P Receiver (Size: 0-4) L/R 4,484 BTE L Bend 41 V2 P Receiver (Size: 0-4) L/R 4,484 BTE Ear Tip (S/M/L) 59 Dry Kit 177 Wax Guard Kit (8pcs) 348 Cleaning Kit 138		ŕ	RIC Custom Hard Eartip	2,360
## Receiver (0-4) L/R VERSION 2 - EASYWEAR RECEIVERS		4,130	BTE Hard Mould	900
VERSION 2 - EASYWEAR RECEIVERSV2 M Receiver (Size: 0-4) L/R4,484BTE L Bend41V2 P Receiver (Size: 0-4) L/R4,484BTE Ear Tip (S/M/L)59Dry Kit177Wax Guard Kit (8pcs)348Cleaning Kit138		4,130	BTE Soft Mould	1,100
V2 M Receiver (Size: 0-4) L/R 4,484 BTE L Bend 41 V2 P Receiver (Size: 0-4) L/R 4,484 BTE L Bend 59 Dry Kit 177 Wax Guard Kit (8pcs) 348 Cleaning Kit 138			MISCELLANEOUS	
V2 P Receiver (Size: 0-4) L/R 4,484 BTE Ear Tip (S/M/L) 59 Dry Kit 177 Wax Guard Kit (8pcs) 348 Cleaning Kit 138	VERSION 2 - EASYWEAR RECEIVE	RS	BTE Eartip (eartip along with tube)	118
Dry Kit 177 Wax Guard Kit (8pcs) 348 Cleaning Kit 138	V2 M Receiver (Size: 0-4) L/R	4,484	BTE L Bend	41
Wax Guard Kit (8pcs) 348 Cleaning Kit 138	V2 P Receiver (Size: 0-4) L/R	4,484	BTE Ear Tip (S/M/L)	59
Cleaning Kit 138			Dry Kit	177
			Wax Guard Kit (8pcs)	348
Perfect Dry Lux 5,990			Cleaning Kit	138
			Perfect Dry Lux	5,990

EARPIECE OVERVIEW

	RECEIVER	FITTING RANGE	THIN TUBES	INSTANT EAR TIPS
V.1	S- Receiver M— Receiver P- Receiver HP- Receiver	Version 1 S: 0-80 dB HL M: 0-90 dB HL P: 40-110 dB HL HP: 50-115 dB HL	Thin Tube 0.9 Thin Tube 1.4	Open Ear-tip Open Round Ear-tip Tulip Round One Vent
V.2	M— Receiver P- Receiver	Version 2 M : 0-90 dB HL P : 20-110 dB HL	Thin Tube 0.9 Thin Tube 1.4	Round - Two Vent Sleeve Vented Sleeve Power Double

DEX **ACCESSORIES**

WIDEX SOUND ASSIST™



MRP (₹) 20,000/Inclusive of Taxes

- Partner and table remote microphone, to improve speech intelligibility in difficult listening environments
- Headset mode for phone calls on the go
- Streaming audio from any Bluetooth device
- Remote control for your Widex Moment/Magnify hearing aids
- Telecoil mode

WIDEX TV PLAY



MRP (₹) 17,990/Inclusive of Taxes

- **Design:** new look with exclusive Kvadrat textile material (82 x 158 x 22 mm; 110g)
- **Streaming:** 2.4 GHz direct audio streaming from TV to compatible hearing aids
- Sound: best possible stereo sound and option for personalization balancing TV volume with ambient sounds or conversations
- Volume control: via hearing aids, Widex Moment / Magnify app
- Range: up to 15m line-of-sight
- Powered: via MicroUSB input

WIDEX TV-DEX



MRP (₹) 24,000/-Inclusive of Taxes

- Streaming: inputs for both TV and hi- fisystems
- **Sound:** high-quality audio and Room Off feature
- **Battery:** 10 hours of TV audio streaming
- **Recharge:** via the TV Base

WIDEX COM-DEX



MRP (₹) 12,000/-Inclusive of Taxes

- Hands-free: due to the built-in microphone
- **Usability:** comfortable fabric neck loop
- Colors: available in three stylish colors
- Use: up to 8h of streaming
- Recharge: micro USB power supply

REMOTE MIC



MRP (₹) 11,000/-Inclusive of Taxes

- Hear conversations close up, and in detail, even in noisy environments.
- Stream sound wirelessly via COM-DEX to Widex wireless hearing aids.
- Can be attached with a convenient steel clip.

WIDEX RC-DEX



MRP (₹) 9,000/-Inclusive of Taxes

- Remote Control: change your hearing aid program and turn volume up/down
- **Usability:** small enough to be used as keyring attachment
- **Battery:** approximately 12 months of use

WIDEX COM DEX + REMOTE MIC



MRP (₹) 18,000/-Inclusive of Taxes

WIDEX APPS

WIDEX MOMENT™ APP

Widex Moment app allows users to control their hearings aids and have access to the powerful sound personalization of MySound AI, enjoy direct streaming of music, video and calls, and get tips and advice about using Moment with My Guide.





WIDEX MAGNIFY™ APP

Widex Magnify app allows users to have full control of their hearings aids.





WIDEX TONELINK APP

Widex Tonelink app is the solution to give users control of their non-Bluetooth enabled hearing aids. The app works as a remote control and provide users easy access to key functions.





WIDEX EVOKE

Widex Evoke app allow users to control the volume and directional focus of their hearing aids, and personalize their hearing program for specific sound environments with SoundSense Learn.





WIDEX ENJOY APP

Widex Enjoy app allows users to adjust the hearing aids volume and directional focus.





WIDEX REMOTE CARE™ APP

- Access to real-time hearing assistance from anywhere
- Compatible with all wireless Widex hearing aids
- Requires a REMOTE LINK device







SOUND LIKE NO OTHER

Widex India Pvt Ltd A-25, 2nd Floor, Mohan Cooperative Industrial Area, Mathura Road New Delhi-110044 Ph: +91 11 46010350 / 51, +91 96501 79292 www.widexindia.com





 $Widex^{\mathbb{T}}, Widex\ Moment^{\mathbb{T}}, Widex\ Moment\ Sheer^{\mathbb{T}}, MySound^{\mathbb{T}}, SoundRelax^{\mathbb{T}}, PureSound^{\mathbb{T}}, ZeroDelay^{\mathbb{T}}, Technology^{\mathbb{T}}, TruAcoustics^{\mathbb{T}}, Widex\ Remote\ Care^{\mathbb{T}}, Tonelink^{\mathbb{T}}, TV\ Play^{\mathbb{T}}$

